

Catalog



ORBOT GLOBAL

Lage Zijde 3, 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com

Contents

ORBOT

ORBOT Vibration Technology	3
ORBOT Machines	4-13
Vibe	5-6
– SprayBorg	
– LIFE	
– 17" Machine Comparisons	11
– SLiM	12-13
ORBOT Accessories	14-23
ORBOT Packages	24-25
Floor Types	26-44
- Carpet	27-29
– Tile & Grout	30-32
– Concrete	33-34
– Stone	35-38
– Microporous	39-41
- Stripping	42-44
Batteries	45-48
Warranties	49-50
- Warranty Claim Form	51

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com


Orbital Vibration Technology

3

Orbital Dual-action that deep cleans and restores all floors


ORBOT machines are like the "Swiss Army Knife" of cleaning machines. Our patented drive system combines two motions in one (orbital & rotational) to clean any floor.

This powerful vibration generates an increased level of agitation delivering superior results in all professional cleaning, scrubbing, grinding, stripping and polishing applications.



Saving Factors with Increased vibration efficiency

- ORBOT's high-performance orbital system allows for complete restoration on multiple floor types
- DUAL-ACTION ORBITAL POWER makes cleaning faster, easier and safer
- SAVES time, water, labor and effort. Plus, chemicals and temperature can be reduced or even eliminated




ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

ORBOT MACHINES

ORBOT Vibe, SprayBorg, LiFE & SLiM





ORBOT VIBE

17" Machine

Affordably Smooth

Feel the good vibrations with ORBOT Vibe

The ORBOT Vibe is a unique and versatile floor cleaning machine. Differing from rotary single disc models, the Vibe offers our patented drive system that combines two mechanical movements in one - orbital and rotational; proving its results on all floor surfaces.

The ORBOT Vibe has been designed with a quick change pad system to easily change from cleaning, stripping, or restoring any floor. No need to purchase multiple machines to handle different jobs. Save yourself time and money by owning one machine that does it all.

The dual action orbital technology used by the ORBOT Vibe generates maximum agitation and vibration, providing superior results and floor care without damaging the floor surface.

The ORBOT Vibe is a true low-moisture machine. The amount of solution can be controlled at your fingertips with it's 15.1 liters on-board solution tank and fixed spray system, making the ORBOT Vibe one of most cost effective and versatile floor machines on the market.

The ORBOT Vibe combines our Orbital Technology with an onboard solution tank and fixed spray system to easily clean, strip, or restore any floor. The one machine that does it all, the ORBOT Vibe is low maintenance, easy to use and reduces labor costs.

ARTICLE CODE	ARTICLE DESCRIPTION
ORB.VIB.1100C	ORBOT VIBE 17INCH 230V EU



ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

ORBOT VIBE

Features & Benefits

6

Specifications

DRIVER DIAMETER 43.18 cm I MOTOR 1HP, 1400W 100-240V / 50-60Hz, AC I DUAL SPEED Orbital 1725 RPM + Rotational 80 RPM NOISE LEVEL 59 dB I WEIGHT 43.09 Kg I WHEEL DIAMETER 25.4 cm I SOLUTION TANK CAPACITY 15.1 L I PUMP 90 PSI / 6.2 BAR QUICK-CONNECT POWER CORD 15 m I WARRANTY 1 Year (See Warranty for Coverage)



ORBOT SPRAYBORG

17" Machine

Relentless Pursuit

Keep the job moving with ORBOT SprayBorg

The ORBOT SprayBorg is our premium multi-surface cleaning and restoration machine. Our patented drive system produces 2 independent movements, thousands of micro circles moving at 1725 RPM in addition to the entire driver rotating at 80 RPM. These actions create the most agitation of any floor cleaning method to date. Our technology transfers this energy towards the floor in the form of vibration, essentially shaking loose the bond that attaches dirt to the floor surface.

ORBITAL TECHNOLOGY

Each contact point makes 0.9525 cm diameter orbital movements at 1725 rotations per minute.

QUICK CHANGE CARTRIDGE SYSTEM

The Orbot utilizes a unique quick change solution cartridge system. Three cartridges are supplied with the machine and are designed to quickly slide into the holder. Each 11.4 L cartridge can clean approximately 90 sq m on carpet and 370 sq m on hard floors. Built in anti-vibration technology eliminates noise and vibration transferring to the user. Proper use of the Quick Change System can reduce refill times by 15 minutes per hour.

ARTICLE CODE	ARTICLE DESCRIPTION
ORB.SPR.1100C	ORBOT SPRAYBORG 17INCH 230V EU



ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

ORBOT SPRAYBORG Features & Benefits

Specifications

BASE DIAMETER 43.18 cm I MOTOR 1HP, 1400W 100-240V / 50-60Hz, AC I DUAL SPEED Orbital 1725 RPM + Rotaional 80 RPM NOISE LEVEL 59 dB I WEIGHT 48.5 kg I WHEEL DIAMETER 25.4 cm I SOLUTION TANK CAPACITY I 11.4 L PUMP 90 PSI / 6.2 B. QUICK-CONNECT POWER CORD 15 m I WARRANTY 1 Year (See Warranty for Coverage)



Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com



Roam Free

Cut the cord with ORBOT LiFF

The ORBOT LiFE is the most versatile lithium-ion battery powered, dual action orbital floor machine. It has been designed with the safest and latest innovation in lithium-ion battery technology, which means, you can freely and quickly deep clean your floor throughout the facility at any time of the day with no boundaries or concern for power outlets and trip hazards.

The ORBOT LiFE guarantees a longer lasting battery life of up to 3500 cycles. It has all the benefits of the ORBOT SprayBorg but with the added convenience, flexibility, and portability of a battery.

FAST CHARGE

No need to wait long hours to charge the ORBOT LiFE, increase productivity with 120 minutes of charge time.

HYBRID FEATURE

Thanks to our advanced engineered Hybrid feature of both on and off-board charging, the ORBOT LiFE can continue cleaning when the battery is low by simply plugging the power cord into a wall socket. While in motion, the ORBOT LIFE continues to charge so you can finish your work. When you're ready to explore without boundaries, just leave the cord behind.

BATTERY MANAGEMENT SYSTEM (BMS)

For added safety and durability we've added a battery management system to protect the battery from being discharged and/or overcharged.



😢 Bluetooth

Stay charged with the Discover Bluetooth® App that gives real-time access to battery State of Charge, voltage, operating current, temperature, and other operating information.

ARTICLE CODE	ARTICLE DESCRIPTION
ORB.LIF.0000B	ORBOT LIFE 17INCH W/O BATTERY/CHARGER
ORB.LIF.1100C	ORBOT LIFE 17INCH W/T BATTERY/CHARGER 230V EU
K.1.S.120.0613.0	KIT ASSY BATTERY LI-ION 24V 45A ORBOT LIFE
K.1.S.120.0614.0	KIT ASSY CHARGER EU ORBOT LIFE



9

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com

Your local distributor:



Specifications

DRIVER DIAMETER 43.18 cm | MOTOR 3/4HP, 24V, DC | DUAL SPEED Orbital 1725 RPM + Rotational 100 RPM | NOISE LEVEL 59 dB WEIGHT 59.42 Kg | WHEEL DIAMETER 25.4 cm | SOLUTION TANK CAPACITY 11.4 L | PUMP 90 PSI / 6.2 BAR HYBRID QUICK-CONNECT POWER CORD 15 m | WARRANTY 1 Year (See Warranty for Coverage)



E: hello@orbotglobal.com www.orbotglobal.com

17" Machine Comparisons







Description	VIBE	SPRAYBORG	
Weight	43.09 kg	50.35 kg	59.42 kg
Dual Speed	1725 rpm/orbital + 80 rpm/rotational	1725 rpm / orbital + 80 rpm / rotational	1725 rpm / orbital + 100 rpm / rotational
Motor Size - AC/DC	1HP motor 100-240V, 50/60Hz - AC	1HP motor 100-240V, 50/60Hz - AC	3/4HP motor 24V - DC
Pump	90 PSI / 6.2 BAR	90 PSI / 6.2 BAR	90 PSI / 6.2 BAR
Free Floating Base	√ - (43.18 cm DIA.)	√ - (43.18 cm DIA.)	√ - (43.18 cm DIA.)
Transport Wheels	√ - (25.4 cm DIA.)	√ - (25.4 cm DIA.)	√ - (25.4 cm DIA.)
Quick-Flip Base with Stand	√	√	√
Quick-Connect Power Cord	√	√	√
Power Cord Indicator Light (Int'l Only)	√	√	√
Lever-Free On/Off Switch	√	√	√
Quick-Change Velcro Driver Plate	√	√	√
Clear Coat Protection	√	√	√
Carpet & Rug Institute Approved	√	√	√
Auxiliary Power Supply	√	√	√
Quick-Change Solution Tank		√	√
Adjustable Spray Jets		√	√
Flow Control Valve		√	√
Fatigue-Free Vertical Handle		√	√
Fold Down Handle		√	√
Bluetooth App			√
Hour Meter			√
Battery			√
Battery Management System (BMS)			\checkmark
Hybrid (Lithium-ion + AC)			√ up to 3 hours (depending on floor/pad)
120 Minute Quick Charger: Universal On/Off Board Battery Charger			√
Warranty	√ (1 Year)	√ (1 Year)	√ (1 Year)

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

(11)

11" Machine

Slender Yet Mighty

Pack a compact punch with ORBOT SLiM

ORBOT SLIM

The ORBOT SLIM is designed for the consumer market specifically for small spaces such as bathrooms, hallways, and kitchens. It can easily fit under furniture for tough to reach areas. Its light weight structure is strong and capable of the powerful agitation that delivers superior results in all professional deep cleaning.

The ORBOT SLiM is a true low-moisture machine. It combines our Orbital Technology with a 2,84 Liter on-board solution tank and fixed spray system that cleans, strips, or restores any floor.

And there's no need to purchase multiple machines to handle different jobs because the ORBOT SLiM has a quick change pad system, making this machine one of the most cost effective and versatile floor machines on the market.

The ORBOT SLiM is very low maintenance, easy to use, and reduces labor costs. Save yourself time and money by owning one machine that does it all.

ARTICLE CODE	ARTICLE DESCRIPTION
ORB.SLM.0000B	ORBOT SLIM 11INCH W/O BATTERY/CHARGER
ORB.SLM.1100C	ORBOT SLIM 11INCH W/T BATTERY/CHARGER 230V EU
K.1.S.120.0311.0	KIT ASSY BATTERY LI-ION 36V 6.4A ORBOT SLIM
K.1.S.120.1000.0	KIT ASSY CHARGER EU ORBOT SLIM
K.1.S.120.1000.3	KIT ASSY CHARGER UK ORBOT SLIM



12

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:



Specifications

BASE DIAMETER 27.9 cm | MOTOR 36V, 330W DC | DUAL RPM SPEED Orbital 3000 RPM + Rotational 120 RPM LITHIUM-ION BATTERY 36V / 216Wh / 6Ah | RUN TIME Up to 45 minutes (depending on floor/pad) | CHARGE TIME 90 minutes NOISE LEVEL 59 dB | WEIGHT 12.7 + 2.7 kg w/tank & battery | HEIGHT 119 cm | SOLUTION TANK CAPACITY 2.84 L PUMP 58 PSI / 4 BAR | WARRANTY 1 Year (See Warranty for Coverage)




ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

_____(13

ORBOT ACCESSORIES

Usage Guides, Pads, Brushes & More





SpeedFlex Brushes

NEW! COMING SOON!

Don't just clean, restore!

Faster

Deep cleans in one pass

Newer Revives grout and hard surfaces

Cleaner

Reaches difficult low spots



Simple Velcro® on/off



Low moisture cleaning

Better

Innovative scrubbing power



Quick change No tools required



SpeedFlex Brush | Gray

Indoor hard surfaces

Our revolutionary SpeedFlex gray brush revives tile, grout, and hard surfaces.



SpeedFlex Brush | Blue

Outdoor hard surfaces

Reach difficult low-spots in concrete and asphalt and experience superior results using low moisture.

ARTICLE CODE	ARTICLE DESCRIPTION
120.0778.0	SCRUB BRUSH SPEEDFLEX TILES/GROUTS 17INCH ORBOT [1PC]
120.0779.0	SCRUB BRUSH SPEEDFLEX CONCRETE 17INCH ORBOT [1PC]

ORBOT GLOBAL


Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

17" Machine Accessories

ORBOT Vibe, SprayBorg & LiFE

16

With numerous innovations, we ensure that cleaning becomes quicker, simpler and more cost effective using our machines along with our ORBOT Performance Enhancement Accessories.




Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com



17" Machine Accessories

ORBOT Vibe, SprayBorg & LiFE

17



ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

17" Accessories Usage Guide

ORBOT Vibe, SprayBorg & LiFE

18

FLOOR TYPES

	Carpet	Stone	Tile & Grout	Natural Stone & Terrazzo	Epoxy Coating & Terrazzo	Wood	Laminate	Porcelain, Tiles & Safety	Textured Rubber	PVC, VCT & Linoleum	Smooth Concrete	Rough Concrete/ Asphalt
					MICRO	P O R O U S	HARD F	LOORS				
SuperZorb <u>Pad</u> Over 100 Washes	30,000 ft² (2,800 m²)	Up to 60,000 ft² (5,500 m²)	Up to 60,000 ft² (5,500 m²)	Up to 60,000 ft² (5,500 m²)	Up to 60,000 ft² (5,500 m²)	Up to 60,000 ft² (5,500 m²)	Up to 60,000 ft² (5,500 m²)	Up to 60,000 ft² (5,500 m²)	Up to 60,000 ft² (5,500 m²)	Up to 60,000 ft² (5,500 m²)	Up to 60,000 ft² (5,500 m²)	
					POW	ER MOPF	PING				COATED	
AgiClean Pad	3,000 ft ² (280 m ²)	5,000 ft ² (460 m ²)	5,000 ft ² (460 m ²)	5,000 ft² (460 m²)	5,000 ft ² (460 m ²)	5,000 ft ² (460 m ²)	5,000 ft² (460 m²)	5,000 ft² (460 m²)	5,000 ft² (460 m²)	5,000 ft ² (460 m ²)	5,000 ft ² (460 m ²)	
AkwaStrip Pad						2,500 - 5,000 ft ² (230-460 m ²)				2,500 - 5,000 ft ² (230-460 m ²)		
StoneFlash Pad System		Pads 1-5 Avg. 5,000 ft² (460 m²)		Pads 1-5 Avg. 5,000 ft ² (460 m ²)								
UltraLift Pad		Up to 4000 ft² (375 m²)	Up to 4000 ft ² (375 m ²)	Up to 4000 ft² (375 m²)	Up to 4000 ft² (375 m²)	Up to 4000 ft ² (375 m ²)	Up to 4000 ft² (375 m2)	Up to 4000 ft² (375 m²)	Up to 4000 ft ² (375 m ²)	Up to 4000 ft ² (375 m ²)	Up to 4000 ft² (375 m²)	
Carpet/ Hard Floor Brush	Up to 100 hrs								100+ hrs	100+ hrs		
SpeedFlex Tile & Grout Brush		400 hrs	400 hrs	400 hrs	400 hrs			400 hrs	400 hrs		400 hrs	
SpeedFlex Concrete Brush												400 hrs
Velcro Driver Plate	Up to 300+ hrs	Up to 300+ hrs	Up to 300+ hrs	Up to 300+ hrs	Up to 300+ hrs	Up to 300+ hrs	Up to 300+ hrs	Up to 300+ hrs	Up to 300+ hrs	Up to 300+ hrs	Up to 300+ hrs	Up to 300+ hrs
Gliders	400+ hrs											
Weight Kit	Optional	Required	Required	Required	Required	Required	Required	Required	Required	Required	Required	Required
Environ Cleaning Solution	1 gal (3.78 L) deans up to 50,000 ft ² (4,650 m ²)											

NOTE: The average values can vary depending on floor type & condition, grade of soil, needed care, and operator experience

Your local distributor:

ORBOT GLOBAL

ACCESSORIES

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com

11" Accessories ORBOT SLIM



ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

| (19

11" Accessories ORBOT SLIM



Article Description KIT ASSY BATTERY LI-ION 36V 6.4A ORBOT SLIM

36V, 6AH (BMS). Extend the work and keep the cleaning going by changing additional batteries.

Article Code K.1.S.120.0311.0



Article Description KIT ASSY CHARGER EU ORBOT SLIM

Base unit with power charge indicator lights.

Article Code K.1.S.120.1000.3



Base unit with power charge indicator lights.

Article Code K.1.S.120.1000.3



Article Description ORBOT SLIM QUICK-CHANGE SOLUTION TANK

Holds 2.84L capacity. Saving time & labor.

Article Code 120.0121.0



Article Description KIT ENVIRON HP ENCAP CARPET CLEANER ORBOT 4.5LTR [4PCS]

Environ is a highly concentrated cleaner specially formulated for use in carpet restorative extraction cleaning.

Article Code K.4.120.0743.0



ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

11" Accessories Usage Guide ORBOT SLIM

21

FLOOR TYPES

	Carpet	Stone	Tile & Grout	Natural Stone & Terrazzo	Epoxy Coating & Terrazzo	Wood	Laminate	Porcelain, Tiles & Safety	Textured Rubber	PVC, VCT & Linoleum	Smooth Concrete	Rough Concrete/ Asphalt
					MICRO	POROUS	HARD FL	0 0 R S				
SuperZorb Pad Over 100 Washes	20,000 ft² (1,850 m²)	Up to 40,000 ft² (3,700 m²)	Up to 40,000 ft² (3,700 m²)	Up to 40,000 ft² (3,700 m²)	Up to 40,000 ft² (3,700 m²)	Up to 40,000 ft² (3,700 m²)	Up to 40,000 ft² (3,700 m²)	Up to 40,000 ft² (3,700 m²)	Up to 40,000 ft ² (3,700 m ²)	Up to 40,000 ft² (3,700 m²)	Up to 40,000 ft² (3,700 m²)	
						POWER M	O P P I N G					
Microfiber Pad Up to 50 Washes	10,000 ft² (930 m²)	Up to 20,000 ft² (1,850 m²)	Up to 20,000 ft² (1,850 m²)	Up to 20,000 ft² (1,850 m²)	Up to 20,000 ft ² (1,850 m ²)	Up to 20,000 ft² (1,850 m²)	Up to 20,000 ft² (1,850 m²)	Up to 20,000 ft² (1,850 m²)	Up to 20,000 ft ² (1,850 m ²)	Up to 20,000 ft² (1,850 m²)	Up to 20,000 ft² (1,850 m²)	
UltraLift Pad		Up to 2,500 ft² (230 m²)	Up to 2,500 ft ² (230 m ²)	(1,850 m²)	Up to 2,500 ft ² (230 m ²)	Up to 2,500 ft ² (230 m ²)	Up to 2,500 ft ² (230 m ²)	Up to 2,500 ft ² (230 m ²)	Up to 2,500 ft² (230 m²)	Up to 2,500 ft² (230 m²)	Up to 2,500 ft ² (230 m ²)	
AkwaStrip Pad						1,500 - 3,000 ft² (140-280 m²)				1,500 - 3,000 ft² (140-280 m²)		
StoneFlash Pad System		Pads 1-5 Avg. 3,000 ft² (279 m²)		Pads 1-5 Avg. 3,000 ft² (279 m²)								
Tile & Grout Brush		100 hrs	100 hrs	100 hrs	100 hrs		100 hrs	100 hrs	100 hrs		75 hrs	30 hrs
Environ Cleaning Solution	1 gal (3.78 L) cleans up to 50,000 ft ² (4,650 m ²)											

NOTE: The average values can vary depending on floor type & condition, grade of soil, needed care, and operator experience

ORBOT GLOBAL

ACCESSORIES

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:



One TeckPack for all your ORBOT accessories!

- SuperZorb & AgiClean Pads
- AkwaStrip & UltraLift Pads
- StoneFlash Pad Set
- Carpet & SpeedFlex Brushes
- Tile & Grout Brush
- Environ HP & Spotter Solutions
- Gliders & Power Cords
- Plus any other tools ...



Carries all your accessories so you don't have to



ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com

Your local distributor:



For a complete, deep down clean

ENVIRON HP is our exclusive green Encapsulation Cleaner (Highly Concentrated) that assists in making the ORBOT system complete.

When you combine the ENVIRON HP green cleaner with our exclusive orbital drive technology and accessory pads, you will attain tremendous soil extraction, fast dry times, no reoccurring stains and a healthier environment for homes and commercial settings.

How Environ HP Works with Orbital Drive Technology

The orbital drive of the ORBOT generates hundreds of small oscillations that spin at roughly 1725 revolutions per minute. This orbital drive pattern allows for all sides of the carpet fibers to be agitated and therefore all of the soil will be effectively removed from the carpet fiber.

To ensure that the agitated soil will not stick to the carpet fiber again, a polymer is needed to trap and encapsulate these soil particles. The polymer element in ENVIRON HP will form distinct crystals when it dries. These crystals are the principle vehicles that stop wicking or the reoccurring of stains. They also enable the soil particles to be extracted through post-vacuuming while keeping carpets cleaner for longer periods of time.

Encapsulating polymers combined with an organic soil releaser and enhanced with the cleaning power of hydrogen peroxide.

Cleans up to 1100 m2 with the ORBOT Method.

Makes up to 120 liters.

ARTICLE CODE	ARTICLE DESCRIPTION
K.4.120.0743.0	KIT ENVIRON HP ENCAP CARPET
	CLEANER ORBOT 4.5LTR [4PCS]



Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:





ORBOT 11" and 17" Machines





ORBOT Packages ORBOT LIFE, SprayBorg,Vibe & SLiM

NEW! COMIN	G SOON!	ORBOT 11INCH HARD & SOFT FLOOR PACKAGE	ORBOT 17INCH CARPET PACKAGE	ORBOT 17INCH TILE & GROUT PACKAGE	ORBOT 17INCH TILE & GROUT / CARPET PACKAGE	ORBOT 17INCH HARD & SOFT FLOOR PACKAGE
Article Number	Article Number Article Description		ORB.PACKAGE.17.CARP	ORB.PACKAGE.17.TG	ORB.PACKAGE.17.TGCARP	ORB.PACKAGE.17.HSF
K.10.120.0745.0	K.10.120.0745.0 ORBOT SUPERZORB 21 INCH SOIL EXTRACT PADS [10PCS]		\checkmark		\checkmark	\checkmark
K5.120.0740.0	ORBOT AGICLEAN 19 INCH ENCAP SCRUB PADS [5PCS]		\checkmark		\checkmark	\checkmark
K.5.120.0725.0	ORBOT ULTRALIFT 17 INCH PADS [5PCS]					\checkmark
K.10.120.0741.0	ORBOT AKWASTRIP 17 INCH PADS [10PCS]					\checkmark
120.0729.0	ORBOT CARPET & HARD FLOOR MICROSCRUB 17 INCH BRUSH			\checkmark	\checkmark	\checkmark
120.0778.0	NEW! ORBOT SPEEDFLEX TILE&GROUT 17 INCH BRUSH GRAY			\checkmark	\checkmark	\checkmark
120.0779.0	NEWLORROT SPEEDELEY CONCRETE AND ROUGH SURFACE 17					\checkmark
K.120.0669.0						\checkmark
S.120.0670.0	ORBOT WEIGHT KIT (18 KG / 40 LB)			\checkmark	\checkmark	\checkmark
120.0735.0	ORBOT 17 INCH MACHINE CARPET GLIDER [3PCS]		\checkmark		\checkmark	\checkmark
120.0736.0	ORBOT 17 INCH MACHINE SPLASH GUARD			\checkmark	\checkmark	\checkmark
K.10.120.0747.0	KIT PAD SUPERZORB 11INCH SOIL EXTRACT ORBOT SLIM [10PCS]	\checkmark				
K.5.120.0727.0	KIT PAD MICROFIBRE 11INCH ORBOT SLIM [5PCS]	\checkmark				
K.5.120.0726.0	KIT PAD ULTRALIFT 11INCH ORBOT SLIM [5PCS]	\checkmark				
K.10.120.0748.0	KIT PAD AKWASTRIP 11INCH ORBOT SLIM [5PCS]	\checkmark				
K.5.120.0723.0	KIT PAD STONEFLASH 11INCH STEPS 1-5 ORBOT SLIM [5PCS]	V				
120.0738.0	SCRUB BRUSH TILES&GROUTS 11INCH ORBOT SLIM [1PC]	\checkmark				
K.4.120.0743.0	KIT ENVIRON HP ENCAP CARPET CLEANER ORBOT 4.5LTR [4PCS]	V	\checkmark		\checkmark	\checkmark
	TOTAL NUMBER OF ITEMS	7	4	4	8	12


ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

(25)

FLOOR TYPES

Floor Types & Accompanying Accessories





The ORBOT Method uses 95% less water than traditional carpet cleaning methods

ORBOT's dual-action technology ORBOT's unique low-moisture system uses 10 times less the amount of water opposed to other water extraction methods. The power mopping ability of SuperZorb pads means over-wet carpets that harvest mold and mildew will never be an issue. And the agitating ability of AgiClean pads remove soil seep down and eliminates stains and bacteria growth. With drying times reduced exponentially, cleaned areas can be reopened to foot traffic sooner and customer spaces can be accessible earlier. The ORBOT method is gentle on fibers which significantly preserves the life of the carpet.



TRADITIONAL METHOD

Standard carpet cleaning methods create problems

- Substandard results
- Mold and bacteria growth
- Slip and fall accidents
- Damages carpet fibers
- Poor indoor air quality
- Carpet wrinkles
- Voided carpet warranties
- Wet carpets
- Reduced carpet life
 Long dry times
- Recurring stains
- Color fading
- Color rading

ORBOT METHOD

ORBOT carpet cleaning methods solve problems

The ORBOT method eliminates all traditional method problems. Our patented vibration extraction technology provides the safest, fastest and most efficient type of deep cleaning available.

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

| (27



17" Carpet Accessories ORBOT Vibe, SprayBorg & LiFE

Use these 17 inch accessories for "Wow Factor" results on carpet



Article Description KIT PAD SUPERZORB SOIL 21INCH ORBOT [10PCS]

Highly absorbent cotton pads for power mopping, soil removal, and fast dry times. SuperZorb Pads are washable and can be reused over one hundred times.

Article Code S.120.0723.0



Article Description KIT PAD AGICLEAN ENCAP SCRUB 19INCH ORBOT [5PCS]

Pre-agitate carpet fibers to remove soil from residential and commercial carpets.

Article Code K.5.120.0740.0



Article Description SCRUB BRUSH CARPET/HARD FLOOR 17INCH ORBOT [1PC]

Provides deep cleaning & powerful scrubbing, yet still gentle enough on carpet fibers.

Article Code 120.0729.0



Article Description KIT CARPET GLIDER 17INCH ORBOT [3PCS]

Helps machine glide easier over difficult carpets. Use with SuperZorb pads.

Article Code K.3.120.0735.0



Article Description ORBOT 17 INCH MULTI -FLOOR VELCRO DRIVER PLATE [1PC]

Replace driver plates as routine maintenance every 4-12 weeks or approximately 100 working hours.

Article Code K.1.120.0570.0



Article Description KIT ENVIRON HP ENCAP CARPET CLEANER ORBOT 4.5LTR [4PCS]

A highly concentrated cleaner specially formulated for use in carpet restorative extraction cleaning.

ArtiArticle Code K.4.120.0743.0

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

(28



11" Carpet Accessories ORBOT SLIM

Use these 11 inch accessories for "Wow Factor" results on carpet





Article Description KIT PAD SUPERZORB SOIL 11INCH ORBOT SLIM [10PCS]

Absorbent cotton pads for power mopping, soil removal, and fast dry times. SuperZorb Pads are washable and can be reused over one hundred times.

Article Code K.10.120.0747.0



Article Description KIT ENVIRON HP ENCAP CARPET CLEANER ORBOT 4.5LTR [4PCS]

A highly concentrated cleaner specially formulated for use in carpet restorative extraction cleaning.

Article Code K.4.120.0743.0



ORBOT SLIM MICROFIBRE 11 INCH PADS [5PCS]

Absorbent microfiber for soil removal. Wring them out and keep cleaning dirty carpets.

Article Code K.5. 120.0727.0




Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

Tile & Grout Results

The ORBOT Method cleans fast and effectively

The development of dark, nasty mildew found in grout lines in wet environments is inevitable. Traditionally, small specialty grout brushes are used to clean these surfaces. Unfortunately, porous tile and filthy grout lines are notoriously difficult and tedious to clean once dirt has settled into grout lines or tiny crevices of tile.

The ORBOT Method achieves unparalleled cleaning results on tile and grout by combining our machines patented technology with our multi-surface brush. The secret behind our brush system and its unique design is the bristles varying lengths and diameters. The short, thicker bristles clean top surfaces, while the medium length bristles reach into stubborn crevices and pores. The longer, angled bristles located around the outer edge of the brush are specifically developed to clean hard to reach areas such as along edges and around obstacles. This system negates the use of excessive water and harsh chemicals.



TRADITIONAL METHOD

Standard tile & grout cleaning methods create problems

- Grout lines along edges of walls cannot be reached
- Multiple passes required to penetrate grout lines
- Crevices, cracks and pores are difficult to clean
- Harsh chemicals required to achieve results
- Brush bristles do not reach deep grout lines
- Labor intensive

ORBOT METHOD

ORBOT tile & grout cleaning methods solve problems

The ORBOT method achieves unparalleled cleaning results by combining our technology with our multi-surface brush. The secret behind our brush design is the varying bristle length and diameters.

The short, thicker bristles clean top surfaces, while the medium length bristles reach stubborn crevices, grout lines and pores. The longer bristles are specifically developed to clean hard to reach areas. This system also reduces the need for excessive water and harsh chemicals.

ORBOT GLOBAL


Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

(30



17" Tile & Grout Accessories ORBOT Vibe, SprayBorg & LiFE

Use these 17 inch accessories for "Wow Factor" results on tile & grout





11" Tile & Grout Accessories ORBOT SLIM

Use these 11 inch accessories for "Wow Factor" results on tile & grout





Article Description ORBOT SLIM TILE & GROUT BRUSH 11 INCH [1PC]

Effectively scrubs even the most porous tile & grout.

ArtiArticle Code 120.0738.0

Article Description

ORBOT SLIM [10PCS]

times.

Article Code

K.10.120.0747.0


KIT PAD SUPERZORB SOIL 11INCH

Absorbent cotton pads for power

mopping, soil removal, and fast dry

times. SuperZorb Pads are washable

and can be reused over one hundred



Article Description KIT PAD MICROFIBRE 11INCH ORBOT SLIM [5PCS]

Absorbent microfiber for soil removal. Wring them out and keep cleaning.

Article Code K.5. 120.0727.0

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

Concrete Results

The ORBOT Method uses no harsh chemicals

Concrete is a very malleable yet durable material for both interior and exterior flooring surfaces. It is also very porous so it must be cleaned regularly to prevent mold and dirt buildup. Traditionally, concrete is cleaned with harsh chemicals or by pressure washing. With excessive water pressure, the resulting momentum is great enough to dislodge not only dirt and debris but can cause spalling such as peels, flakes and popouts.

The ORBOT Method combines our dual action orbital machines with a weight kit and our specialized concrete brush to remove heavy soil from porous concrete. The mechanical action of the ORBOT allows the concrete brush to work more effectively with less water. The hardened bristles of our concrete brush are tough enough to agitate hard surfaces without damaging it, and without the haphazards of extreme water pressure.



TRADITIONAL METHOD

Standard concrete cleaning methods create problems

- Cleaning without excessive chemicals & water
- Greasy & slippery floors
- Mineral deposits
- Mold growth

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com

ORBOT METHOD

ORBOT concrete cleaning methods solve problems

The ORBOT method provides an environmentally preferred form of removing soil & grease with minimal water & chemical use. When combining ORBOT's patented orbital technology with our concrete brushes & pads, the hard to reach pores, cracks & crevices are easily cleaned and maintained.

Your local distributor:

(33



17" Concrete Accessories ORBOT Vibe, SprayBorg & LiFE

Use these 17 inch accessories for "Wow Factor" results on concrete



Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com

| (34

The ORBOT Method achieves complete floor restoration and reconditioning

Traditionally, refinishing and resurfacing stone involves the use of harsh chemicals to increase reflective properties of the stone. However, the chemical method cannot remove scratches or lippage and if used improperly or for extended periods of time, stone quality can diminish. Another method for stone refinishing, which focuses on using coatings, adds even more maintenance and eventually loses its effectiveness, requiring the stripping of these coatings.

The ORBOT 'StoneFlash Pad' Method is part of a 5-step chemical-free system for grinding, honing and polishing marble, terrazzo, travertine, limestone and more. Our 5-step complete restoration kit includes pads of various grit, allowing for a more precise execution of floor refinishing without the use of harsh chemicals. For light retouching, we also offer our maintenance package, which is steps 3-5 of the complete kit, perfect light scratches or simply the need for a gloss boost.



TRADITIONAL METHOD

Standard stone cleaning methods create problems

- Consistency
- Long lasting shine

ORBOT

- Labor intensive
- Orange peel effect
- Wavy reflections
- Messy cleanups
- Etching damage
- Extensive
- professional trainingCalcium deficient
- stone
- stone

ORBOT METHOD

ORBOT stone cleaning methods solve problems

The StoneFlash Pad system allows any operator to achieve superior results without the use of chemicals, polishing compounds and steel wool pads. This user friendly system allows unskilled operators the ability to grind, hone and polish like a true professional.

Achieve consistent color, depth and factory finish results on marble, limestone, travertine and terrazzo.

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

(35



17" Stone Accessories ORBOT Vibe, SprayBorg & LiFE

Use these 17 inch accessories for "Wow Factor" results on stone



Article Description KIT PAD STONEFLASH 17 INCH STEPS 1-5 ORBOT [5PCS]

Use all five pads to grind, hone and polish. (Comes with steps 1-5)

Article Code K.5.120.0719.0



Article Description PAD STONEFLASH 17INCH STEP 3 ORBOT [1PC]

Step 3 is a honing step that prepares floor to achieve a glossy finish.

Article Code 120.0719.3



Article Description KIT PAD AGICLEAN ENCAP SCRUB 19INCH ORBOT [5PCS]

AgiClean pads are used to preagitate floors to liberate hard to remove soil. Use on smooth stone only.

Article Code K.5.120.0740.0



Article Description PAD STONEFLASH 17INCH STEP 1 ORBOT [1PC]

Step 1 is for removal of deep scratches and to resurface the stone flooring.

Article Code 120.0719.1



Article Description PAD STONEFLASH 17INCH STEP 4 ORBOT [1PC]

Step 4 is the 1st polishing step for a glossy finish.

Article Code 120.0719.4



Article Description KIT PAD ULTRALIFT 17INCH ORBOT [5PCS]

Lift soil and grease from microporous flooring. Use on tile, stone, wood, vinyl with water only. Use on smooth stone only.

Article Code K.5.120.0725.0



Article Description PAD STONEFLASH 17INCH STEP 2 ORBOT [1PC] Step 2 is for removal of medium scratches.

Article Code 120.0719.2



Article Description PAD STONEFLASH 17INCH STEP 5 ORBOT [1PC]

Step 5 will produce the highest gloss, color depth, and clarity, and is used for daily maintenance.

Article Code 120.0719.5



Article Description ORBOT 17INCH MULTI-FLOOR DRIVER KIT (1PC)

Replace driver plates as routine maintenance every 4-12 weeks or approximately 100 working hours.

Article Code K.1.S.120.0568.0



Article Description PAD STONEFLASH 17INCH STEP 2 ORBOT [1PC]

Step 2 is for removal of medium scratches.

Article Code 120.0719.2



Article Description KIT PAD SUPERZORB SOIL 21INCH ORBOT [10PCS]

Absorbent cotton pads for soil removal and fast dry times. Use on smooth stone only.

Article Code S.120.0723.0



Choose the right amount of weight needed to clean, scrub, strip, polish, sand, and maintain any hard floor.

Article Code K.1.S.120.0670.0

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:



11" Stone Accessories ORBOT SLIM

Use these 11 inch accessories for "Wow Factor" results on stone



Article Description KIT PAD STONEFLASH 11INCH STEPS 1-5 ORBOT SLIM [5PCS]

Use all five pads to grind, hone and polish. (Comes with steps 1-5)

Article Code K.5.120.0723.0



Article Description PAD STONEFLASH 11INCH STEP 3 ORBOT SLIM [1PC]

Step 3 is a honing step that prepares floor to achieve a glossy finish.

KIT PAD SUPERZORB SOIL 11INCH ORBOT

mopping, soil removal, and fast dry times.

Absorbent cotton pads for power

Use on smooth stone only.

Article Code 120.0723.3

Article Description

SLIM [10PCS]

Article Code

K.10.120.0747.0



Article Description PAD STONEFLASH 11INCH STEP 1 ORBOT SLIM [1PC]

Step 1 is for removal of deep scratches and to resurface the stone flooring.

Article Code 120.0723.1



Article Description PAD STONEFLASH 11INCH STEP 4 ORBOT SLIM [1PC]

Step 4 is the 1st polishing step for a glossy finish.

Article Code 120.0723.4



ORBOT SLIM MICROFIBRE 11 INCH PADS [5PCS]

Absorbent microfiber for soil removal. Wring them out and keep cleaning. Use on smooth stone only.

Article Code K.5. 120.0727.0



Article Description PAD STONEFLASH 11INCH STEP 2 ORBOT SLIM [1PC] Step 2 is for removal of medium

Step 2 is for removal of medium scratches.

Article Code 120.0723.2



Article Description PAD STONEFLASH 11INCH STEP 5 ORBOT SLIM [1PC]

Step 5 will produce the highest gloss, color depth, clarity, and is used for maintenance.

Article Code 120.0723.5



KIT PAD ULTRALIFT 11INCH ORBOT SLIM [5PCS]

Designed to create a suction effect to lift soil and grease from microporous flooring. Use on smooth stone only.

Article Code K.5.120.0726.0

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

Stone Floor Instructions

38

Instructions for restoration

- Install weight kit onto ORBOT machine (LiFE, SprayBorg & Vibe, not necessary on the SLiM machine).
- Fill bottle cartridge with water.
- Add appropriate pad.
- Move the machine forward and back, making at least 5 passes forward and 5 passes backwards, at 1 foot per second.
- Tip: Overlap passes to avoid missing areas on the floor.
- Repeat the forward and back motion for all steps 1-5.
 - *Tip:* The more passes made with steps 1-2, the better the results will be in the end when polishing with steps 4-5.
- Always rinse the floors and vacuum between steps. Debris left behind from previous steps will result in scratching and a lower grade of gloss finish.



STEP 1 Pad - Removal of deep scratches and to resurface the stone flooring. Step 1 is the most important step to achieve the best results. Step 1 will grind the floor down and allow for steps 2-5 to achieve a high gloss result.

STEP 2 Pad - Removal of medium scratches.

STEP 3 Pad - Honing step, prepares floor to achieve a glossy finish.

STEP 4-5 Pads - Polishing pads. Customers can choose which gloss level is satisfactory by finishing after step 4 or 5. *Tip:* Step 5 will produce the highest gloss, color depth, and clarity, and is used for daily maintenance.

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

The ORBOT Method achieves complete floor restoration and reconditioning

Microporous flooring can be difficult to clean by traditional means. Deeply penetrated dirt and grease in specialized ceramic, composite and porcelain flooring can be problematic.

The ORBOT method is one of the only systems that can actually pull the dirt from porous floors. Using our specialized open-cell UltraLift pad, the orbital drive motion of our ORBOT machines when combined with the UltraLift pad create a suction effect. Easily lift away grease and dirt while simultaneously scrubbing away surface stains and stubborn black marks, with the majority of situations only requiring the use of water. UltraLift pad can be used on vinyl, linoleum, stone, ceramic, porcelain, wood, smooth concrete and any other types of smooth surface.



TRADITIONAL METHOD

Microporous flooring can be problematic

Dirt & grease can deeply penetrate specialized hard floors making it quite difficult to lift.

- Ceramic tile
- Epoxy
- Composite
- Porcelain

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com

ORBOT METHOD

The ORBOT system actually lifts dirt from porous floors

Our orbital drive machines combined with our specialized UltraLift pad creates a suction effect simultaneously scrubbing surface stains and stubborn black marks mainly requiring only water.

Your local distributor:



17" Microporous Accessories ORBOT Vibe, SprayBorg & LiFE

Use these 17 inch accessories for "Wow Factor" results on microporous floors



Article Description KIT PAD ULTRALIFT 17INCH ORBOT [5PCS]

UltraLift pads are designed to create a suction effect to lift soil and grease from microporous flooring. Use on tile, stone, wood, vinyl with water only.

Article Code K.5.120.0725.0



Article Description KIT PAD SUPERZORB SOIL 21INCH ORBOT [10PCS]

Highly absorbent cotton pads for power mopping, soil removal, and fast dry times. SuperZorb Pads are washable and can be reused over one hundred times.

Article Code S.120.0723.0





Article Description SCRUB BRUSH SPEEDFLEX TILES/ GROUTS 17INCH ORBOT [1PC]

Our revolutionary SpeedFlex gray brush revives tile, grout, and hard surfaces.

Article Code 120.0778.0



Article Description KIT ASSY EXTRA WEIGHT SET 18KG/40LB ORBOT [1PC]

Choose the right amount of weight needed to clean, scrub, strip, polish, sand, hone and maintain any hard floor type.

Article Code

K.1.S.120.0670.0



Article Description ORBOT 17 INCH MULTI -FLOOR VELCRO DRIVER PLATE [1PC]

Replace driver plates as routine maintenance every 4-12 weeks or approximately 100 working hours.

Article Code K.1.120.0570.0

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:



Use this 11 inch accessory for "Wow Factor" results on microporous floors






Article Description KIT PAD ULTRALIFT 11INCH ORBOT SLIM [5PCS]

Designed to create a suction effect to lift soil and grease from microporous flooring.

Article Code K.5.120.0726.0



Article Description KIT PAD SUPERZORB SOIL 11INCH ORBOT SLIM [10PCS]

Absorbent cotton pads for power mopping, soil removal, and fast dry times. SuperZorb Pads are washable and can be reused over one hundred times.

Article Code

K.10.120.0747.0



Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:



Article Description ORBOT SLIM TILE & GROUT BRUSH 11 INCH [1PC]

Effectively scrubs even the most porous tile & grout.

ArtiArticle Code 120.0738.0



Chemical-Free Stripping Results Wood, VCT & Vinyl

The ORBOT Method saves time, labor, and expenses

Traditionally, stripping and maintaining Wood and VCT/Vinyl floors usually requires the use of harsh chemical stripping agents. Many hours of manual labor is needed to emulsify old floor finish and remove it. This slippery mixture can create a slip and fall hazard for the workers. Once the mixture is removed, the floor surface must be rinsed with a neutralizing agent before reapplying multiple layers of floor finish.

Our ORBOT Method is ideal for stripping, sanding, scrubbing, restoring and cleaning coated flooring or decking. The mechanical action, free floating driver design eliminates swirl marks and gouges that traditional machines leave behind. Benefits: reduction of slip and fall accidents, up to 70% less water usage, no user exposure to harsh stripping chemicals and no chemical cleanup around baseboards or nearby areas.



TRADITIONAL METHOD

Stripping floor coatings can cause problems

- Need for vacuum & ventilation systems
- Use of masks, boots & safety equipment
- Toxic indoor air quality
- Slip and fall accidents
- Labor intensive process
- · Damages floor surfaces

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com

ORBOT METHOD

Stripping floor coatings with the ORBOT method is hassle free

Our innovative free floating orbital head technology, low moisture spray system and specially designed pads provide a chemical and hazard free solution to floor care.

42


Your local distributor:



17" Stripping Accessories ORBOT Vibe, SprayBorg & LiFE

43

Use these 17 inch accessories for "Wow Factor" stripping results



5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com

11" Stripping Accessories ORBOT SLIM

Use these 11 inch accessories for "Wow Factor" stripping results





Article Description KIT PAD AKWASTRIP 11INCH ORBOT SLIM [5PCS]

The AkwaStrip pad can strip coating off of wood, VCT and vinyl floors with just water!

Article Code K.5.120.0748.0 Article Description KIT PAD SUPERZORB SOIL 11INCH ORBOT SLIM [10PCS]

Highly absorbent cotton pads for power mopping, soil removal, and fast dry times. SuperZorb Pads are washable and can be reused over one hundred times.

Article Code K.10.120.0747.0



Article Description KIT PAD ULTRALIFT 11INCH ORBOT SLIM [5PCS]

Designed to create a suction effect to lift soil and grease from microporous flooring.

Article Code K.5.120.0726.0



Article Description KIT PAD MICROFIBRE 11INCH ORBOT SLIM [5PCS]

Absorbent microfiber for soil removal. Wring them out and keep cleaning.

Article Code K.5. 120.0727.0

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

BATTERIES

Correct Use, Upgrade & Sleep Mode







ORBOT SLIM Li-Ion Batteries

Quick Instructions for Correct Use of Li-Ion Batteries

1. BEFORE USING A NEW MACHINE:

Fully recharge the battery 90 minutes.

The batteries (on machines & spare) are very low charged for safety reasons. Most times with those low charged batteries, the machine will not start working unless first fully charged (41,5V).

2. AFTER USE:

Always recharge battery (Leave on charger until green light flashes).

If left discharged, the self-discharge will continue at a dangerous level. The machines electronic board will turn off at 32V. At 29V the battery will go into sleep mode at 20V. Battery in this condition needs to be fully recharged (90 minutes). The charger wakes up the battery to a minimum 20V.

3. IF MACHINE STOPS DUE TO LOW BATTERY:

Always remove battery and recharge (Leave battery on charger approximately 90 minutes until green light is flashing).

If the battery is left in the machine with the switch ON, the discharge will be very fast due to the lights and electronic board.

4. STORAGE:

FULLY charged battery (41,5V) can stay (in stock) at +50°F to +68°F (+10°C to +20°C) for a maximum of 2 years.

DISCHARGED battery (32V) can stay (in stock) at +50°F to +68°F (+10°C to +20°C) for a maximum of 6 months. Always recharge batteries before use.

5. VOLTAGE

BETWEEN 16V-20V: Battery ONLY to be reactivated by Lindhaus.

UNDER 15V: battery permanently damaged & cannot be recharged.

	ARTICLE CODE	ARTICLE DESCRIPTION
	K.1.S.120.0311.0	KIT ASSY BATTERY LI-ION 36V 6.4A ORBOT SLIM
-	K.1.S.120.1000.0	KIT ASSY CHARGER EU ORBOT SLIM
	K.1.S.120.1000.3	KIT ASSY CHARGER UK ORBOT SLIM

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

These 5 important points will prevent almost any battery damage





ORBOT SLIM Li-Ion Batteries


Restarting From Sleep Mode

Quick Instructions for Restarting Li-Ion Batteries from Sleep Mode

When Li-lon battery is low charged (left discharged a long time), goes to sleep mode, measuring the contacts + -, deliver very low voltage (under 17V DC).

TO REACTIVATE THE BATTERY:

- 1. Make sure battery is cold ambient temperature.
- 2. Unscrew 4 screws holding together upper & lower covers.
- **3**. Open the battery and remove the complete cells from BMS circuit board, all connected.
- Connect, for 1 second, the + pole of the battery to the free pin of the battery connector using the ORBOT red cable with resistor (80Ω K to 100 KΩ).



AFTER USE - ALWAYS RECHARGE THE BATTERY:

- 1. Leave battery on charger until green light is flashing.
- 2. If left discharged, the self-discharge will continue to discharge
 - to a dangerous level.

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

For Specialized ORBOT Dealers Only

NOTE: Batteries and chargers produced from January 2018 do not require this procedure to wake up the battery. One the battery is connected to the ORBOT charger, the wake up procedure is automatic.

ORBOT LIFE Battery Conversion Kit Instruction Sheet to Upgrade

Discover® LITHIUM BLUE LiFePO4 Premium Series batteries

Discover® LITHIUM BLUE LiFePO4 Premium Series batteries offer BMS controlled safety, long life, lightning fast charging performance and real-time Bluetooth access to battery State of Charge, voltage, current, temperature status.

LITHIUM BLUE batteries reflect Discover's Design for Excellence philosophy, incorporating suitcase style carrying handles, terminal protection and field serviceable fuses. LITHIUM BLUE batteries are safe, easily to install and parallel for more capacity.




Nominal Energy (kWh)	1.17
Useable DoD	100%
Rated Wh Capacity (1C)	1167
Rated Ah Capacity (1C)	45

ARTICLE CODE	ARTICLE DESCRIPTION
K.1.S.120.0613.0	KIT ASSY BATTERY LI-ION 24V 45A ORBOT LIFE
K.1.S.120.0614.0	KIT ASSY CHARGER EU ORBOT LIFE

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:



Installation Instructions

- 1. Tools Needed: 3/4" Wrench & 3/4" Socket
- 2. Remove (5) Bolts Shown Above by Arrows
- 3. Simply Replace with (5) NEW 3/4" Bolts




LITHIUM BLUE LiFeP04 batteries feature a Discover Bluetooth® App that gives real-time access to battery State of Charge, voltage, operating current, temperature, and other operating information.

Search for Discover Blue on the Apple App Store or Google Play.



ORBOT WARRANTIES

Vibe, SprayBorg, LiFE & SLiM





Warranty

INTERNATIONAL WARRANTY POLICY for ORBOT Vibe, SprayBorg, LiFE, and SLiM.

All warranty repairs will be coordinated through your local distributor.

Transport is covered by ORBOT. Warranty labor is NOT covered by ORBOT.

A copy of all warranty claims will be emailed to warranty@orbotglobal.com for quality assurance reporting.

Warranty term: Each machine is made with care and covered for one (1) year against manufacturing defects effective from date of original purchase from manufacturer for parts ONLY.

- Charger 1 year warranty
- Battery 1 year warranty or 800 charging cycles

Non-warranty items:

Powder Coat Finish Velcro driver plate Driver Plate Mounting Screws All Accessories User Negligence

ORBOT GLOBAL

Lage Zijde 3 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com Your local distributor:

Warranty Claim Form

(51)

This form must be completed in all applicable sections and returned with all relevant parts and other documents. Complete this form fully, Failure to fully complete the form will seriously affect prompt replacement / refund.

General information

ompany name	Telephone number	
ame	Email	
ddress	Date of purchase	
ity	Purchased from	
ountry		
echnical information		
lachine name	Run Hours	
art/ product number	Serial number machine(s)	
umber of machines affected	Failure date	
escription Symptom		
Description symptom	Clear picture of machine ID plate	
Additional picture 1	Additional picture 2	
Check box I declare that the information as mention	ed above Signature	
represents the returned goods	orginataro	
represents the returned goods	local distributor:	

Lage Zijde 3 5626 DL Eindhoven, The Netherland P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com





ORBOT GLOBAL

Lage Zijde 3, 5626 DL Eindhoven, The Netherlands P: +31402662420 E: hello@orbotglobal.com www.orbotglobal.com